



HYDRAULIC QUICK CONNECT COUPLINGS



www.abdex.com

CONTENTS

Section	Page
Carbon Steel Range	3-5
ISO 7241/A	3
ISO 7241/B	3
Push Pull	3
ISO16028 Flat Face	3
TEMA Interchange	4
Jacking Coupling (Ball Type)	4
Jacking Coupling (Poppet Type)	4
Dust Plugs and Caps	4-5
Dust Plugs / Caps to suit ISO7241/A	4
Dust Plugs / Caps to suit ISO7241/B	5
Dust Plugs / Caps to suit ISO16028 Flat Face	5
Dust Plugs / Caps to suit TEMA Interchange	5
Dust Plugs / Caps to suit Push / Pull	5
Stainless Steel Range	6
ISO 7241/B (Stainless Steel)	6
ISO16028 Flat Face (Stainless Steel)	6
Flat Face 71 Series Interchange (Stainless Steel)	6
Jacking Couplings Ball Type (Stainless Steel)	6
Interchange List	7

CARBON STEEL RANGE



ISO 7241/A

# Female	# Male	Description	Size inch	 bar	
QCISOA-04-F-BSP	QCISOA-04-M-BSP	ISO 7241/A - PAV1 1/4" ISO A Quick Release	1/4	350	BSP
QCISOA-06-F-BSP	QCISOA-06-M-BSP	ISO 7241/A - PAV1 3/8" ISO A Quick Release	3/8	350	BSP
QCISOA-08-F-BSP	QCISOA-08-M-BSP	ISO 7241/A - PAV1 1/2" ISO A Quick Release	1/2	250	BSP
QCISOA-12-F-BSP	QCISOA-12-M-BSP	ISO 7241/A - PAV1 3/4" ISO A Quick Release	3/4	250	BSP
QCISOA-16-F-BSP	QCISOA-16-M-BSP	ISO 7241/A - PAV1 1" ISO A Quick Release	1	250	BSP



ISO 7241/B

# Female	# Male	Description	Size inch	 bar	
QCISOB-02-F-BSP	QCISOB-02-M-BSP	ISO 7241/B - PBV1 1/8" ISO B Quick Release	1/8	250	BSP
QCISOB-04-F-BSP	QCISOB-04-M-BSP	ISO 7241/B - PBV1 1/4" ISO B Quick Release	1/4	250	BSP
QCISOB-06-F-BSP	QCISOB-06-M-BSP	ISO 7241/B - PBV1 3/8" ISO B Quick Release	3/8	250	BSP
QCISOB-08-F-BSP	QCISOB-08-M-BSP	ISO 7241/B - PBV1 1/2" ISO B Quick Release	1/2	250	BSP
QCISOB-12-F-BSP	QCISOB-12-M-BSP	ISO 7241/B - PBV1 3/4" ISO B Quick Release	3/4	250	BSP
QCISOB-16-F-BSP	QCISOB-16-M-BSP	ISO 7241/B - PBV1 1" ISO B Quick Release	1	250	BSP



PUSH PULL

# Female	# Male	Description	Size inch	 bar	
QC7241A-08-F-BSP	-	PUSH PULL - POPPET - PPV1 1/2" Push Pull Poppet Quick Release Coupling	1/2	50	BSP



ISO 16028 FLAT FACE

# Female	# Male	Description	Size inch	 bar	
QCFF1602A-04-04-F-BSP	QCFF1602A-04-04-M-BSP	ISO 16028 - FLAT FACE - PLT4 1/4" Flat Face Quick Release	1/4	400	BSP
QCFF1602A-06-06-F-BSP	QCFF1602A-06-06-M-BSP	ISO 16028 - FLAT FACE - PLT4 3/8" Flat Face Quick Release	3/8	350	BSP
QCFF1602A-06-08-F-BSP	QCFF1602A-06-08-M-BSP	ISO 16028 - FLAT FACE - PLT4 3/8" Flat Face Quick Release	3/8	350	BSP
QCFF1602A-08-08-F-BSP	QCFF1602A-08-08-M-BSP	ISO 16028 - FLAT FACE - PLT4 1/2" Flat Face Quick Release	1/2	350	BSP
QCFF1602A-08-12-F-BSP	QCFF1602A-08-12-M-BSP	ISO 16028 - FLAT FACE - PLT4 1/2" Flat Face Quick Release	1/2	350	BSP
QCFF1602A-12-12-F-BSP	QCFF1602A-12-12-M-BSP	ISO 16028 - FLAT FACE - PLT4 3/4" Flat Face Quick Release	3/4	350	BSP
QCFF1602A-12-16-F-BSP	QCFF1602A-12-16-M-BSP	ISO 16028 - FLAT FACE - PLT4 3/4" Flat Face Quick Release	3/4	350	BSP
QCFF1602A-16-16-F-BSP	QCFF1602A-16-16-M-BSP	ISO 16028 - FLAT FACE - PLT4 1" Flat Face Quick Release	1	350	BSP

CARBON STEEL RANGE



TEMA INTERCHANGE

# Female	# Male	Description	Size inch	 bar	
QCTEMA-04-F-BSP	QCTEMA-04-M-BSP	TEMA T SERIES INTERCHANGE - PTV1 1/4" Tema Quick Release Coupling	1/4		BSP
QCTEMA-06-F-BSP	QCTEMA-06-M-BSP	TEMA T SERIES INTERCHANGE - PTV1 3/8" Tema Quick Release Coupling	3/8	370	BSP
QCTEMA-08-F-BSP	QCTEMA-08-M-BSP	TEMA T SERIES INTERCHANGE - PTV1 1/2" Tema Quick Release Coupling	1/2	350	BSP
QCTEMA-12-F-BSP	QCTEMA-12-M-BSP	TEMA T SERIES INTERCHANGE - PTV1 3/4" Tema Quick Release Coupling	3/4	20	BSP
QCTEMA-16-F-BSP	QCTEMA-16-M-BSP	TEMA T SERIES INTERCHANGE - PTV1 1" Tema Quick Release Coupling	1	20	BSP



JACKING COUPLING (BALL TYPE)

# Female	# Male	Description	Size inch	 bar	
ABD2140-02	ABD2120-02	Jacking Coupling - 1/8" Ball Type	1/8	700	NPT Male / Female
ABD2140	ABD2120	Jacking Coupling - 1/4" Ball Type	1/4	700	NPT Male / Female
ABD2141	ABD2121	Jacking Coupling - 1/4" Ball Type	1/4	700	NPT Female / Male
ABD3140	ABD3120	Jacking Coupling - 3/8" Ball Type	3/8	700	NPT Male / Female
ABD3141	ABD3121	Jacking Coupling - 3/8" Ball Type	3/8	700	NPT Female / Male



JACKING COUPLING (POPPET TYPE)

# Female	# Male	Description	Size inch	 bar	
ABD3142	ABD3122	Jacking Coupling - 3/8" Poppet Type	3/8	700	NPT Male / Female

DUST PLUGS / CAPS TO SUIT ISO7241/A



# Female	# Male	Description	Size inch
QCISOA-04-PLUG	QCISOA-04-CAP	ISO 7241/A - PAV1 1/4" Dust Plug	1/4
QCISOA-06-PLUG	QCISOA-06-CAP	ISO 7241/A - PAV1 3/8" Dust Plug	3/8
QCISOA-08-PLUG	QCISOA-08-CAP	ISO 7241/A - PAV1 1/2" Dust Plug	1/2
QCISOA-12-PLUG	QCISOA-12-CAP	ISO 7241/A - PAV1 3/4" Dust Plug	3/4
QCISOA-16-PLUG	QCISOA-16-CAP	ISO 7241/A - PAV1 1" Dust Plug	1


CARBON STEEL RANGE

DUST PLUGS / CAPS TO SUIT ISO7241/B



# Female	# Male	Description	Size inch
QCISOB-04-PLUG	QCISOB-04-CAP	ISO 7241/B - PBV1 1/4" Dust Plug	1/4
QCISOB-06-PLUG	QCISOB-06-CAP	ISO 7241/B - PBV1 3/8" Dust Plug	3/8
QCISOB-08-PLUG	QCISOB-08-CAP	ISO 7241/B - PBV1 1/2" Dust Plug	1/2
QCISOB-12-PLUG	QCISOB-12-CAP	ISO 7241/B - PBV1 3/4" Dust Plug	3/4
QCISOB-16-PLUG	QCISOB-16-CAP	ISO 7241/B - PBV1 1" Dust Plug	1

DUST PLUGS / CAPS TO SUIT ISO16028 FLAT FACE




# Female	# Male	Description	Size inch
QCFF1602A-04-PLUG	QCFF1602A-04-CAP	ISO 16028 - FLAT FACE - PLT4 1/4" Dust Plug	1/4
QCFF1602A-06-PLUG	QCFF1602A-06-CAP	ISO 16028 - FLAT FACE - PLT4 3/8" Dust Plug	3/8
QCFF1602A-08-PLUG	QCFF1602A-08-CAP	ISO 16028 - FLAT FACE - PLT4 1/2" Dust Plug	1/2
QCFF1602A-12-PLUG	QCFF1602A-12-CAP	ISO 16028 - FLAT FACE - PLT4 3/4" Dust Plug	3/4
QCFF1602A-16-PLUG	QCFF1602A-16-CAP	ISO 16028 - FLAT FACE - PLT4 1" Dust Plug	1

DUST PLUGS / CAPS TO SUIT TEMA INTERCHANGE



# Female	# Male	Description	Size inch
QCTEMA-06-PLUG	QCTEMA-06-CAP	TEMA T SERIES - STANDARD - PTV1 3/8" Dust Plug	3/8
QCTEMA-08-PLUG	QCTEMA-08-CAP	TEMA T SERIES - STANDARD - PTV1 1/2" Dust Plug	1/2
QCTEMA-12-PLUG	QCTEMA-12-CAP	TEMA T SERIES - STANDARD - PTV1 3/4" Dust Plug	3/4
QCTEMA-16-PLUG	QCTEMA-16-CAP	TEMA T SERIES - STANDARD - PTV1 1" Dust Plug	1
QCFF1602A-16-PLUG	QCFF1602A-16-CAP	ISO 16028 - FLAT FACE - PLT4 1" Dust Plug	1

DUST PLUGS / CAPS TO SUIT PUSH / PULL



# Female	# Male	Description	Size inch
Dust Plugs / Caps to suit Push / Pull	QCTEMA-06-CAP	TEMA T SERIES - STANDARD - PTV1 3/8" Dust Plug	3/8

STAINLESS STEEL RANGE



ISO 7241/B (STAINLESS STEEL)

# Female	# Male	Description	Size inch	 bar	
QCISOB-04-F-BSP	QCISOB-04-M-BSP	ISO 7241/B - PBV1 1/4" ISO B Quick Release in Stainless Steel	1/4	250	BSP
QCISOB-04-F-NPT	QCISOB-04-M-NPT	ISO 7241/B - PBV1 1/4" ISO B Quick Release in Stainless Steel	1/4	250	NPT
QCISOB-06-F-BSP	QCISOB-06-M-BSP	ISO 7241/B - PBV1 3/8" ISO B Quick Release in Stainless Steel	3/8	250	BSP
QCISOB-06-F-NPT	QCISOB-06-M-NPT	ISO 7241/B - PBV1 3/8" ISO B Quick Release in Stainless Steel	3/8	250	NPT
QCISOB-08-F-BSP	QCISOB-08-M-BSP	ISO 7241/B - PBV1 1/2" ISO B Quick Release in Stainless Steel	1/2	250	BSP
QCISOB-08-F-NPT	QCISOB-08-M-NPT	ISO 7241/B - PBV1 1/2" ISO B Quick Release in Stainless Steel	1/2	250	NPT
QCISOB-12-F-BSP	QCISOB-12-M-BSP	ISO 7241/B - PBV1 3/4" ISO B Quick Release in Stainless Steel	3/4	250	BSP
QCISOB-12-F-NPT	QCISOB-12-M-NPT	ISO 7241/B - PBV1 3/4" ISO B Quick Release in Stainless Steel	3/4	250	NPT
QCISOB-16-F-BSP	QCISOB-16-M-BSP	ISO 7241/B - PBV1 1" ISO B Quick Release in Stainless Steel	1	250	BSP
QCISOB-16-F-NPT	QCISOB-16-M-NPT	ISO 7241/B - PBV1 1" ISO B Quick Release in Stainless Steel	1	250	NPT



ISO 16028 FLAT FACE (STAINLESS STEEL)

# Female	# Male	Description	Size inch	 bar	
PLTX.0606.012	PLTX.0606.013	ISO 16028 - FLAT FACE - PLT4 1/4" Flat Face Quick Release in Stainless Steel	1/4	400	NPT
PLTX.1010.012	PLTX.1010.013	ISO 16028 - FLAT FACE - PLT4 3/8" Flat Face Quick Release in Stainless Steel	3/8	350	NPT
PLTX.1313.012	PLTX.1313.013	ISO 16028 - FLAT FACE - PLT4 1/2" Flat Face Quick Release in Stainless Steel	1/2	350	NPT



FLAT FACE 71 SERIES INTERCHANGE (STAINLESS STEEL)

# Female	# Male	Description	Size inch	 bar	
PLSX.0606.012	PLSX.0606.013	Flat Face - 71 Series Interchange Quick Release in Stainless Steel	1/4	350 Dynamic / 700 Static	NPT
PLSX.1010.012	PLSX.1010.013	Flat Face - 71 Series Interchange Quick Release in Stainless Steel	3/8	350 Dynamic / 700 Static	NPT
PLSX.1313.012	PLSX.1313.013	Flat Face - 71 Series Interchange Quick Release in Stainless Steel	1/2	350 Dynamic / 700 Static	NPT



JACKING COUPLINGS BALL TYPE (STAINLESS STEEL)

# Female	# Male	Description	Size inch	 bar	
ABD3140C	ABD3120C	Jacking Coupling - 3/8" Ball Type in Stainless Steel	3/8	700	NPT

INTERCHANGE LIST

Standard / Manufacturer	DNP	STUCCHI	FASTER	HANSEN	PARKER	RYCO	SAFEWAY
ISO 7241/A	PAV1	BIR	ANV	HA	6600, 2000	R81/82	S56
ISO 7241/B	PBV1	IRB	HNV	HK	60		S10
ISO 7241/A Push Pull	PPV1	1RS/I				R91 & R86	
TEMA / NORDIC	PTV1	IRC			TEMA T & H		
ISO16028	PLT4	FIRG/A	2FFI / FFN38	QA	FF	R110	FF49



FLUID TRANSFER TECHNOLOGY

WWW.ABDEX.COM

Abdex Hose & Couplings Ltd
Unit 10a Clarke Road, Bletchley
Milton Keynes, MK1 1LG, England.
T: +44 (0) 1525 377 770
E: sales@abdex.co.uk

Abdex Industries Pty Ltd
27 Metcalf Street, Dandenong South,
Victoria, 3175 Australia.
T: +61 (0) 39796 3044
E: sales@abdex.com.au

Abdex Industries Pty Ltd
42 Bushland Ridge, Bibra Lake,
Western Australia 6163, Australia.
T: +61 (0) 89418 3044
E: sales@abdex.com.au

Abdex Industries Pty Ltd
8/315 Archerfield Road,
Richlands, QLD, 4077.
T: +61 (0) 73185 2788
E: sales@abdex.com.au

Abdex PTE Ltd
1 Sunview Road, Eco-tech@Sunview
#07-37 Singapore 627615
T: +65 9753 7478
E: sales@abdex.sg